

# Transport Stretchers Comparison Chart



Non-Electric Standard Width	Hausted	Hausted	Hausted	Hausted	Hausted	Hausted	Stryker	Stryker	Hill-Rom	Hill-Rom	Pedigo
	461EMC-ST	461GMC-ST	462EMC-ST	462GMC-ST	462APA-ST	462CPA-ST	Prime 1105	Prime 1115	Model P8005	Model P8000	Model 750-N
Weight Capacity	500 lbs	500 lbs	500 lbs	500 lbs	500 lbs	500 lbs	700 lbs	700 lbs	700 lbs	700 lbs	750 lbs
Overall Width	29.5"	29.5"	29.5"	29.5"	31.5"	31.5"	30.25"	30.25"	32"	32"	29.5"
Brake/Steer System	2	2	4	4	4	4	2 (O-4)	2 (O-4)	2 (O-4)	2 (O-4)	2
Center Wheel	NA	NA	S	S	S	S	S	S-Big Wheel	O	NA	O
Knee Flex/Gatch	NA	S	NA	S	NA	S	O	O	NA	O	O
Patient Surface:											
High	34.75"	34.75"	34.75"	34.75"	34.75"	34.75"	34"	34"	35"	34.25"	32.75"
Low	22"	22"	22"	22"	22"	22"	20.75"	20.75"	23"	20.7"	23"
Overall Length	80.25"	80.25"	80.25"	80.25"	84"	84"	85"	85"	83"	83"	83"
Litter Positioning:											
Fowler Backrest	0-90	0-90	0-90	0-90	0-90	0-90	0-90	0-90	0-90	0-90	0-90
Trendelenburg	16	16	16	16	16	16	17	17	18	18	12
Reverse Trendelenburg	16	16	16	16	16	16	17	17	18	18	7
Patient Surface	25 X 76"	25 X 76"	25 X 76"	25 X 76"	28 X 76"	28 X 76"	26 X 75.25"	26 X 75.25"	26 X 75"	26 X 75"	27 X 77"
Pneumatic-Assist Backrest	S	S	S	S	S	S	S	S	NA	O	S
Power Washable	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	NA
Side Rails	Retracto	Retracto	Retracto	Retracto	Airglide	Airglide	Glideaway	Glideaway	Fold Down	Tuck Away	Tuck Away
Warranty	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	2 Years	2 Years	3 Years	3 Years	1 Year

S-Standard

O-Option

NA-Not Available

Note: ALL HAUSTED MODELS ARE BEING RE-WEIGHT CERTIFIED BY ETL....we expect regular stretchers to be certified to 750 pounds

-

## Transport Stretchers Comparison Chart

### *Electric*

	Hausted	Hausted	Stryker	Stryker	Hill-Rom
	4E2DPA-ST	4D2DPA-ST	Prime 1105	Prime 1115	Model P8020
<b>Weight Capacity</b>	625 lbs	625 lbs	700 lbs	700 lbs	700 lbs
<b>Overall Width</b>	34.75"	34.75"	0-30.5"	0-30.5"	36"
<b>Brake/Steer System</b>	4	4	2 (O-4)	2 (O-4)	2 (O-4)
<b>Center Wheel</b>	S	S	S	S-Big Wheel	S
<b>Knee Flex/Gatch</b>	S	S	O	O	S
<b>Patient Surface:</b>					
High	29.5"	29.5"	34"	34"	34.3"
Low	22"	22"	20.75"	20.75"	22.5"
<b>Overall Length</b>	83"	83"	85"	85"	83"
<b>Litter Positioning:</b>					
Fowler Backrest	0-90	0-90	0-90	0-90	0-90
Trendelenburg	12	12	17	17	18
Reverse Trendelenburg	12	12	17	17	18
<b>Patient Surface</b>	32 x 77"	32 x 77"	30 X 75.25"	30 X 75.25"	30 X 75"
<b>Battery Backup</b>	S	S	NA	NA	NA
<b>Electric Voltage</b>	120V	230V	120V/240V	120V/240V	
<b>Side Rails</b>	Airglide	Airglide	Glideaway	Glideaway	Tuck Away
<b>Warranty</b>	5 Years	5 Years	2 Years	2 Years	3 Years

S-Standard

O-Option

NA-Not Available

**Note: ALL HAUSTED MODELS ARE BEING RE-WEIGHT CERTIFIED BY ETL.....we expect regular stretchers to be certified to 750 pounds**

-

## Transport Stretchers Comparison Chart

<b>Non-Electric Extra Wide Width</b>	Hausted	Hausted	Hausted	Hausted	Stryker	Stryker	Hill-Rom	Hill-Rom	Pedigo
	461FMC-ST	461HMC-ST	462FMC-ST	462HMC-ST	Prime 1105	Prime 1115	Model P8005	Model P8000	Model 750-W
<b>Weight Capacity</b>	500 lbs	500 lbs	500 lbs	500 lbs	700 lbs	700 lbs	700 lbs	700 lbs	750 lbs
<b>Overall Width</b>	34.5"	34.5"	34.5"	34.5"	O-30.5"	O-30.5"	O-36"	O-36"	33.5"
<b>Brake/Steer System</b>	2	2	4	4	2 (O-4)	2 (O-4)	2 (O-4)	2 (O-4)	2
<b>Center Wheel</b>	NA	NA	S	S	S	S-Big Wheel	O	NA	O
<b>Knee Flex/Gatch</b>	NA	S	NA	S	O	O	NA	O	O
<b>Patient Surface:</b>									
High	34.75"	34.75"	34.75"	34.75"	34"	34"	35"	34.25"	32.75"
Low	22"	22"	22"	22"	20.75"	20.75"	23"	20.7"	23"
<b>Overall Length</b>	80.25"	80.25"	80.25"	80.25"	85"	85"	83"	83"	83"
<b>Litter Positioning:</b>									
Fowler Backrest	0-90	0-90	0-90	0-90	0-90	0-90	0-90	0-90	0-90
Trendelenburg	16	16	16	16	17	17	18	18	12
Reverse Trendelenburg	16	16	16	16	17	17	18	18	7
<b>Patient Surface</b>	25 X 76"	25 X 76"	25 X 76"	25 X 76"	30 X 75.25"	30 X 75.25"	30 X 75"	30 X 75"	31 X 77"
<b>Pneumatic-Assist Backrest</b>	S	S	S	S	S	S	NA	O	S
<b>Power Washable</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	NA
<b>Side Rails</b>	Retracto	Retracto	Retracto	Retracto	Glideaway	Glideaway	Fold Down	Tuck Away	Tuck Away
<b>Warranty</b>	5 Years	5 Years	5 Years	5 Years	2 Years	2 Years	3 Years	3 Years	1 Year

S-Standard

O-Option

NA-Not Available

**Note: ALL HAUSTED MODELS ARE BEING RE-WEIGHT CERTIFIED BY ETL....we expect regular stretchers to be certified to 750 pounds**

-